


**Left Side**  
 Connector(s): MT-RJ (No Pins)  
 Mode: MM  
 Housing Color: Black  
 Geom. Spec: 115-1215



**Fiber Path**

Fiber A - - B  
 Fiber B - - A

**Right Side**  
 Connector(s): LC-Duplex  
 Mode: MM  
 Housing Color: Beige  
 Geom. Spec: N/A

- Notes:**
- 1 OM3 assemblies tested at 850nm, all other multimode tested at 1300nm
  - 3 Label 2 will not be present on any cable assembly less than 5 meters long.
  - 4 Includes dust caps (not shown on print).

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS, INC. IT IS NOT TO BE DISCLOSED TO ANY OTHER PARTY WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC  
CE  
DIST  
16

B2	Rev Per EC#	RELEASE	3/14/2010	-	DK
P	LTR	REVISION RECORD	DATE	DIN	APVD

**Restricted To:**

DIMENSIONS: meters

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± .
1 PLC	± .
2 PLC	± .
3 PLC	± .
4 PLC	± .

DIN	Cable Assy Configurator	MATERIAL	-	HEAT TREAT	-
CHK	Doug Kirsch	Tyco Electronics, Inc. Harrisburg, PA 17105-3608			
APVD	Doug Kirsch				
NAME	FO C/A - 2 fiber, 62.5/125, OFNP (Plenum) jacket, MT-RJ (No Pins) to LC-Duplex				
SCALE	NTS	SIZE	A2	DRAWING NO	C- 6374646
SHEET	1 of 3	REV	B2		

THIS DRAWING IS A CONTROLLED DOCUMENT.

Part #	L (meters)	L (feet)	MT-RJ (No Pins), Black		LC-Duplex, Beige	
			IL (dB)	RL (dB)	IL (dB)	RL (dB)
0-6374646-1	0.950 - 1.050	3.11 - 3.44	0.5	20	0.5	-
0-6374646-2	1.950 - 2.050	6.39 - 6.72	0.5	20	0.5	-
0-6374646-3	2.950 - 3.050	9.67 - 10.00	0.5	20	0.5	-
0-6374646-4	3.920 - 4.080	12.86 - 13.38	0.51	20	0.51	-
0-6374646-5	4.920 - 5.080	16.14 - 16.66	0.51	20	0.51	-
0-6374646-6	5.920 - 6.080	19.42 - 19.94	0.51	20	0.51	-
0-6374646-7	6.920 - 7.080	22.70 - 23.22	0.51	20	0.51	-
0-6374646-8	7.920 - 8.080	25.98 - 26.50	0.51	20	0.51	-
0-6374646-9	8.850 - 9.150	29.03 - 30.01	0.51	20	0.51	-
1-6374646-0	9.850 - 10.150	32.31 - 33.30	0.52	20	0.52	-
1-6374646-1	10.850 - 11.150	35.59 - 36.58	0.52	20	0.52	-
1-6374646-2	11.850 - 12.150	38.87 - 39.86	0.52	20	0.52	-
1-6374646-3	12.850 - 13.150	42.15 - 43.14	0.52	20	0.52	-
1-6374646-4	13.850 - 14.150	45.43 - 46.42	0.52	20	0.52	-
1-6374646-5	14.850 - 15.150	48.72 - 49.70	0.52	20	0.52	-
1-6374646-6	15.840 - 16.160	51.96 - 53.01	0.52	20	0.52	-
1-6374646-7	16.830 - 17.170	55.21 - 56.33	0.53	20	0.53	-
1-6374646-8	17.820 - 18.180	58.46 - 59.64	0.53	20	0.53	-
1-6374646-9	18.810 - 19.190	61.71 - 62.95	0.53	20	0.53	-
2-6374646-0	19.800 - 20.200	64.96 - 66.27	0.53	20	0.53	-
2-6374646-1	20.790 - 21.210	68.20 - 69.58	0.53	20	0.53	-
2-6374646-2	21.780 - 22.220	71.45 - 72.90	0.53	20	0.53	-
2-6374646-3	22.770 - 23.230	74.70 - 76.21	0.53	20	0.53	-
2-6374646-4	23.760 - 24.240	77.95 - 79.52	0.54	20	0.54	-
2-6374646-5	24.750 - 25.250	81.20 - 82.84	0.54	20	0.54	-
2-6374646-6	25.740 - 26.260	84.44 - 86.15	0.54	20	0.54	-
2-6374646-7	26.730 - 27.270	87.69 - 89.46	0.54	20	0.54	-
2-6374646-8	27.720 - 28.280	90.94 - 92.78	0.54	20	0.54	-
2-6374646-9	28.710 - 29.290	94.19 - 96.09	0.54	20	0.54	-
3-6374646-0	29.700 - 30.300	97.44 - 99.40	0.55	20	0.55	-
3-6374646-1	30.690 - 31.310	100.68 - 102.72	0.55	20	0.55	-
3-6374646-2	31.680 - 32.320	103.93 - 106.03	0.55	20	0.55	-
3-6374646-3	32.670 - 33.330	107.18 - 109.35	0.55	20	0.55	-
3-6374646-4	33.660 - 34.340	110.43 - 112.66	0.55	20	0.55	-
3-6374646-5	34.650 - 35.350	113.68 - 115.97	0.55	20	0.55	-
3-6374646-6	35.640 - 36.360	116.92 - 119.29	0.55	20	0.55	-
3-6374646-7	36.630 - 37.370	120.17 - 122.60	0.56	20	0.56	-
3-6374646-8	37.620 - 38.380	123.42 - 125.91	0.56	20	0.56	-
3-6374646-9	38.610 - 39.390	126.67 - 129.23	0.56	20	0.56	-
4-6374646-0	39.600 - 40.400	129.92 - 132.54	0.56	20	0.56	-
4-6374646-1	1.450 - 1.550	4.75 - 5.08	0.5	20	0.5	-
5-6374646-0	49.500 - 50.500	162.40 - 165.68	0.58	20	0.58	-

Qty	U of M	Description	Item No.
2	piece	Trace Label	14
2	piece	Eyelet/Shrink tube assembly - White	13
1	piece	MT-RJ TwinZip Bend Limiting Boot, Beige	12
1	piece	MT-RJ FERRULE, THERMOPLAST,MM	11
AR	meter	2 fiber, 62.5/125, 1.8 mm, Twinzip, Orange, OFNP (Plenu	10
2	piece	LC Connector Assy, MM	9
1	piece	LC Duplex clip, black	8
2	piece	LC, SC, FC Straight Boot, Beige	7
1	piece	CRIMP EYELET, MT-RJ	6
1	piece	MT-RJ, SPRING PUSH, UNIVERSAL	5
1	piece	PIN KEEPER, 3.8MM	4
1	piece	SPRING, MT-RJ, 3.8 DESIGN	3
1	piece	DUST COVER, MT-RJ	2
1	piece	HOUSING, CONN, MT-RJ,BLACK	1


THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS. IT MAY NOT BE DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC  
CE  
DIST  
16

B2	Rev Per EC#	RELEASE	9/14/2010	-	DK
P	LTR	REVISION RECORD	DATE	DIN	APVD

**RESTRICTED TO:**

0 PLC  
 1 PLC  
 2 PLC  
 3 PLC  
 4 PLC  
 5 PLC

DIN	Cable Assy Configurator	MATERIAL	-	HEAT TREAT	-
CHK	Doug Kirsch	 Tyco Electronics, Inc. Harrisburg, PA 17105-3608			
APVD	Doug Kirsch				
NAME	FO C/A - 2 fiber, 62.5/125, OFNP (Plenum) jacket, MT-RJ (No Pins) to LC-Duplex				
SCALE	A2	DRAWING NO	C- 6374646	SHEET	2 of 3
NTS					REV B2

8

7

6

5

4

3

2

1

D  
C  
B  
A

THIS DRAWING IS A CONTROLLED DOCUMENT. DPM-10

**Label 1**

Per specification 107-1645-1



Trace # - Bar Code  
 Trace # - Human Readable  
 Part Number  
 Country of Origin

This label is used on all lengths on this drawing.

**Label 2**

Per specification 107-1645-1



Trace # - Bar Code  
 Trace # - Human Readable  
 Part Number  
 Country of Origin

This label is used on all lengths on this drawing.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO  
 ELECTRONICS. IT MAY NOT BE DISCLOSED TO ANY OTHER PARTY  
 WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS.  
 TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

LOC  
 CE  
 DIST  
 16

B2	Rev Per EC#	RELEASE	9/14/2010	-	DK
P	LTR	REVISION RECORD	DATE	DIN	APVD

**Restricted To:**

DIMENSIONS: meters

TOLEANCES UNLESS OTHERWISE SPECIFIED:

0	PLC	± .
1	PLC	± .
2	PLC	± .
3	PLC	± .
4	PLC	± .
5	PLC	± .
6	PLC	± .
7	PLC	± .
8	PLC	± .
9	PLC	± .

DIN	Cable Assy Configurator	MATERIAL	-	HEAT TREAT	-
CHK	Doug Kirsch	Tyco Electronics, Inc. Harrisburg, PA 17105-3608			
APVD	Doug Kirsch				
NAME	FO C/A - 2 fiber, 62.5/125, OFNP (Plenum) jacket, MT-RJ (No Pins) to LC-Duplex				
SCALE	NTS	SIZE	A2	DRAWING NO	C- 6374646
SHEET	3 of 3	REV	B2		

A  
B  
C  
D