

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [62201-8748](#)
Status: **Active**
Description: Insertion Tool for Daughter Card, 4-Pair by 6-Column Assemblies

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	T3002
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	Impact™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	884982063495

Material Info

Reference - Drawing Numbers

Application Tooling Documents ATS-622018748, TM-622018799



EU RoHS	China RoHS
----------------	-------------------

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T3002Series](#)

Use With

[76850](#) , [76160](#) Impact™ Daughtercard
 Orthogonal Assembly

Application Tooling Description	FAQ Product #
--	----------------------

Impact™ 100 Ohm 4 Pair Right Angle Daughtercard Receptacle, 1.90 by 1.35mm Pitch, Unguided, 6 Columns, 72 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free	0761601006
Impact™ 100 Ohm 4 Pair Right Angle Daughtercard Receptacle, 1.90 by 1.35mm Pitch, Unguided, 6	0761601036

Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761603006
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Left Guided, 6
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761603036
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Left Guided, 6
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761605006
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Right Guided, 6
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761605036
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Right Guided, 6
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 0768501006
Ohm 4 Pair Right
Angle Orthogonal
Daughtercard,
Unguided, 6
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 0768501036
Ohm 4 Pair Right
Angle Orthogonal
Daughtercard,
Unguided, 6
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 0768503006
Ohm 4 Pair Right
Angle Orthogonal

Daughtercard, Left Guide, 6 Columns, 72 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free Impact™ 100	0768503036
Ohm 4 Pair Right Angle Orthogonal Daughtercard, Left Guide, 6 Columns, 72 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free Impact™ 100	0768505006
Ohm 4 Pair Right Angle Orthogonal Daughtercard, Right Guide, 6 Columns, 72 Circuits, Plated Through Hole Dimension 0.46mm, Lead-Free Impact™ 100	0768505036
Ohm 4 Pair Right Angle Orthogonal Daughtercard, Right Guide, 6 Columns, 72 Circuits, Plated Through Hole Dimension 0.39mm, Lead-Free	

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION