


Leaded Common Mode Choke Coils for DC and Signal Lines

CM08RB02



Unit : mm (inch)

■ Features

- Item Summary
2000Ω, 15 uH, 2.4 A, 13.0x9.5x14.5mm
- Lifecycle Stage
Discontinued
- Standard packaging quantity (minimum)
Bulk 500pcs

■ Products characteristics table

| | |
|------------------------------|---|
| No. of Lines | 2 |
| Common Mode Impedance | 2000 Ω typ at 50MHz |
| Common Mode Inductance | 15 uH min |
| Case Size (mm) | 13.0x9.5 |
| DC Resistance (max) | 40 mΩ |
| Rated Current (max) | 2.4 A |
| Rated Voltage (max) | 50 V |
| Operating Temp. Range | -25 to +105 °C (Including-self-generated heat) |
| Insulation Resistance (min) | 100 MΩ |
| RoHS2 Compliance (10 subst.) | Yes |
| Soldering | Wave |

■ External Dimensions

| | |
|-------------|-------------|
| Dimension A | Max 13.0 mm |
| Dimension B | Max 9.5 mm |
| Dimension C | Max 14.5 mm |

2017.04.30

The data is reference only. Electrical characteristics vary depending on environment or measurement condition. TAIYO YUDEN reserves the right to make change to the Date at any time without notice. Before making final selection, please check product specification.