

System connectors - FLKM 16-PA- 331-1KF/I/MINI-MCR - 2318237

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



VARIOFACE front adapter, for SIMATIC® S7-300, only in connection with MINI MCR-SL-V8-FLK 16-A. Connectable card:331-1KF0-0AB01.



Key commercial data

| | |
|--------------------------------------|----------|
| Packing unit | 1 pc |
| Weight per Piece (excluding packing) | 60.0 GRM |
| Custom tariff number | 85369010 |
| Country of origin | Germany |

Technical data

General

| | |
|----------------------------------|-----------------------------|
| Nominal voltage U_N | 30 V AC/DC |
| Max. permissible current | 50 mA (per path) |
| Connection type, connector | IDC/FLK pin strip (2.54 mm) |
| Number of connectors | 1 |
| No. of positions, connector | 16 |
| Number of positions | 16 |
| Mounting position | any |
| Standards/regulations | DIN EN 50178 |
| | IEC 62103 |
| Rated surge voltage / insulation | 0.5 kV / basic insulation |

Ambient conditions

| | |
|---|------------------|
| Ambient temperature (operation) | -20 °C ... 60 °C |
| Ambient temperature (storage/transport) | -20 °C ... 70 °C |
| Degree of protection | IP20 |

Connection data, power supply

System connectors - FLKM 16-PA- 331-1KF/I/MINI-MCR - 2318237

Technical data

Connection data, power supply

| | |
|--|----------------------|
| Connection method | Screw connection |
| Conductor cross section stranded min. | 0.14 mm ² |
| Conductor cross section stranded max. | 1.5 mm ² |
| Conductor cross section solid min. | 0.14 mm ² |
| Conductor cross section solid max. | 1.5 mm ² |
| Conductor cross section AWG/kcmil min. | 26 |
| Conductor cross section AWG/kcmil max | 16 |

Supported controller

| | |
|---------------------|---------------------------|
| Controller | SIEMENS S7-300 / ET 200 M |
| - suitable I/O card | 6ES7 331-1KF0x-0AB0 |

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27250313 |
| eCl@ss 4.1 | 27250313 |
| eCl@ss 5.0 | 27250313 |
| eCl@ss 5.1 | 27250313 |
| eCl@ss 6.0 | 27249205 |
| eCl@ss 7.0 | 27249205 |
| eCl@ss 8.0 | 27249205 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC000237 |
| ETIM 3.0 | EC000237 |
| ETIM 4.0 | EC000237 |
| ETIM 5.0 | EC002584 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211824 |
| UNSPSC 7.0901 | 39121421 |
| UNSPSC 11 | 39121421 |
| UNSPSC 12.01 | 39121421 |
| UNSPSC 13.2 | 39121421 |

Approvals

Approvals

System connectors - FLKM 16-PA- 331-1KF//MINI-MCR - 2318237

Approvals

Approvals

UL Recognized / cUL Recognized / cULus Recognized

Ex Approvals

Approvals submitted

Approval details


UL Recognized

cUL Recognized

cULus Recognized

Drawings

Circuit diagram



Connection scheme FLKM 16-PA-331-1KF//MINI-MCR