



- △ HOUSING: GLASS FILLED POLYESTER; COLOR: BLACK.
- △ CONTACT: HIGH CONDUCTIVITY COPPER ALLOY.
- △ NICKEL PLATE: 0.00127 [0.000050] MIN - ALL OVER.
- △ TIN-LEAD PLATE: 0.00254 [0.000100] MIN - SOLDER POSTS.
- △ GOLD PLATE: 0.00076 [0.000030] MIN - CONTACT AREA.
- △ NICKEL PLATE PER MIL-G-45204.
GOLD PLATE PER QQ-N-290.
- △ AMP PART NUMBER, DATE CODE AND CSA LOGO MAY BE MARKED IN APPROXIMATE AREA SHOWN, EITHER SIDE.
- △ DATUMS PLUS BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.

14	23,24	35	1658504-1
OMIT PIN	MOLDED KEY BETWEEN PINS	NUMBER OF DUAL POSITIONS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWG A. W. FRANTUM 21 MAR 03	Tyco Electronics Corporation Harrisburg, Pa 17105-3608
0 PLC ± -	1 PLC ± -	CHK A. W. FRANTUM 21 MAR 03	
2 PLC ± 0.13 [0.005]	3 PLC ± -	APVD A. W. FRANTUM 21 MAR 03	NAME: CONNECTOR ASSEMBLY, HIGH CURRENT CARD EDGE DUAL POSITION, 2.54 [0.100] CL
4 PLC ± -	ANGLES ± 2	APPLICATION SPEC	
MATERIAL	FINISH	SIZE: A1	SCALE: 5:1
		WEIGHT: -	SHEET 1 OF 2
		CUSTOMER DRAWING	REV C



THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN A. W. FRANTUM 21 MAR 03	 Tyco Electronics Corporation Harrisburg, Pa 17105-3608
DIMENSIONS: mm		CHK A. W. FRANTUM 21 MAR 03	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPD A. W. FRANTUM 21 MAR 03	NAME CONNECTOR ASSEMBLY, HIGH CURRENT CARD EDGE DUAL POSITION, 2.54 $[\text{.100}]$ CL
0 PLC ± -	1 PLC ± -	APPLICATION SPEC	SIZE A1
2 PLC ± 0.13 $[\text{.005}]$	3 PLC ± -	WEIGHT	SCALE 5:1
4 PLC ± -	ANGLES ± 2	FINISH SEE SHEET 1	DRAWING NO 00779
MATERIAL SEE SHEET 1	FINISH SEE SHEET 1	CUSTOMER DRAWING	DRAWING NO 1658504
		RESTRICTED TO	SHEET 2 OF 2
		REV	REV C