


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PART NO.	MATERIAL	MARKER SIZE inches [ mm ]	LABELS PER ROW	STANDARD PKG. QTY.
C300X025KBT	GMK4	3.000 0.250 X X [ 76.2 ] [ 6.35 ]	1	5000
C300X025KCT	GMK4			
C300X025YJT	GMY4-W			



NOTES:  
 1. SEE MFG. DRAWING NO. A61376.  
 2. THE DIMENSIONS IN [ ] ARE MILLIMETERS.

CAD FILENAME/LAYERS 100472JH\_DS\_A61376/00D

PANDUIT CORP. TINLEY PARK, ILLINOIS

CUSTOMER DRAWING  
 OPTIMUM C300X025\*\*T  
 THERMAL TRANSFER LABELS

UNLESS OTHERWISE SPECIFIED,  
 DIMENSIONAL TOLERANCES ARE:  
 (.X) ± .12 (.XXX) ± .020  
 (.XX) ± .062 ANGLES ±



UNLESS OTHERWISE SPECIFIED,  
 ALL DIMENSIONS ARE GIVEN  
 IN INCHES, THIRD ANGLE PROJECTION.

DRAWN BY  
 RVU

MAT'L:

SCALE

NTS

DATE  
 8-29-06

SEE TABLE

DRAWING NO.

C10453

CHK'D

DWG  
 A  
 SIZE

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP
3	1/5/09	RVU		GMY4-W WAS GMY2. .12, .062, .020 WAS .030, .015, .010. ADD +/- .062.	5631	R		
2	5/17/07	RVU		ADDED NEW P/N, C300X025YJT.	5003	R		
1	4/16/07	RVU		ADDED P/N: C300X025KCT. THE MATERIAL, C300X025KBT SHOULD BE GMKTHERM-700W.	4954	R		
0	8-29-06	RVU		DRAWING RELEASE.	4670	R		