





LOC		DIST		REVISIONS			
AD	00	REV	DATE	BY	CHK	APP	
A2	ECO-07-0006515		19JUN07	MB	JO		
A3	REVISED PER ECO-09-021510		14SEP09	KK	AEG		

- 1 FINISH: ENTIRE CONTACT TO BE NICKEL PLATED (.00127[.000050] THICK) WITH .000762[.000030] GOLD ON CONTACT AREA AND TIN-LEAD ON SOLDER TAIL
- 2 POINT-OF-MEASUREMENT OF PLATING THICKNESS
- 3 RECESSED DATE CODE AND CSA LOGO AT BASE OF HOUSING
- 4 FINISH: ENTIRE CONTACT TO BE NICKEL PLATED 0.00127 (.000050) THICK WITH 0.000752 (.000030) GOLD ON CONTACT AREA AND 0.00254-0.00508 (.000100-.000200) MATTE TIN ON SOLDER LEADS
- 5 ROHS 2002/95/EC COMPLIANT
- 6 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



ROW	FINISH	C	B	A	NO OF POSN	PART NUMBER
1,2,3,4,5,6,7,8	4	45.21 [1.780]	43.18 [1.700]	13	42	5-535629-1
1,2,3,4,5,6,7,8	1	45.21 [1.780]	43.18 [1.700]	13	42	535629-1
ROW "O"						
SELECT LOADED .498 LONG POST						

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DRAWING NO.	RESTRICTED TO
0 PLC ± -	1 PLC ± -	A1 00779	
2 PLC ± .13[.005]	3 PLC ± -	535629	
4 PLC ± -	ANGLES ± -	SCALE 4:1	

MATERIAL: HARD BRASS OVER TIGER PLATE CONTACT SUPER ALLOY

FINISH: SEE TABLE

WEIGHT: -

CUSTOMER DRAWING

DATE: 16SEP92

BY: J. MARTINELLI

CHK: D. SARVER

APP'D: D. SARVER

NAME: AMPMODU 2PC 3 ROW R/A HEADER ASSEMBLY, .150 SPACING BETWEEN ROW 2 AND 3 SOLDER LEADS

TYCO ELECTRONICS CORPORATION, HARRISBURG, PA 17105-3608